

<b>Examiner-Initiated Interview Summary</b>	Application No. 09/867,791	Applicant(s) BOREHAM ET AL.	
	Examiner Kuen S. Lu	Art Unit 2167	

**All Participants:**
**Status of Application:** \_\_\_\_\_

 (1) Kuen S. Lu.

(3) \_\_\_\_\_.

 (2) Aly Z. Dossa.

(4) \_\_\_\_\_.

**Date of Interview:** 13 September 2005
**Time:** 14:05
**Type of Interview:**

- ☒ Telephonic  
☐ Video Conference  
☐ Personal (Copy given to: ☐ Applicant ☐ Applicant's representative)

 Exhibit Shown or Demonstrated: ☐ Yes ☒ No

If Yes, provide a brief description:

**Part I.**

Rejection(s) discussed:

1-3 and 5-30

Claims discussed:

1-3 and 5-30

Prior art documents discussed:

n/a

**Part II.**
**SUBSTANCE OF INTERVIEW DESCRIBING THE GENERAL NATURE OF WHAT WAS DISCUSSED:**

*The Examiner proposed the attached amendments in order to overcome the prior art of records, and the Applicant agreed on the Examiner's proposal and authorizations have been given.*

**Part III.**

- ☒ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview directly resulted in the allowance of the application. The examiner will provide a written summary of the substance of the interview in the Notice of Allowability.  
☐ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview did not result in resolution of all issues. A brief summary by the examiner appears in Part II above.

*Kuen S. Lu 9/16/2005*

(Examiner/SPE Signature)

(Applicant/Applicant's Representative Signature – if appropriate)

(Continuation sheet of PTO-413, Interview Summary of Application 09/867,791)

Concerning claims 1-3 and 5-30 presented in the Amendments, dated June 13, 2005, the Applicant agreed to amend claims 1-3 and 5-30 as shown below:

1. (Currently Cancelled).

2. (Currently Cancelled).

3. (Currently Cancelled).

4. (Cancelled).

5. (Currently Amended) A computer implemented method of configuring a directory server comprising a plurality of entries, the method comprising the steps of:  
defining a class of service (CoS) attribute, wherein the CoS attribute includes a CoS Definition entry and a Template entry;  
associating the CoS attribute with a target entry that lies within a CoS scope of the CoS Definition entry and the Template entry; and  
providing an attribute value for the target entry based on the CoS Definition entry and the Template entry,  
wherein the CoS Definition entry is stored as an LDAP subentry below the branch at which the LDAP subentry is effective,  
wherein the CoS Definition entry identifies a CoS type being used,  
wherein the Template entry contains a list of attribute values that are shared, and  
wherein the CoS scope is defined by the DN of the CoS Definition entry.

6. (Currently Cancelled).

7. (Currently Cancelled).

8. (Currently Cancelled).

9. (Currently Cancelled).

10. (Original) The method as in claim 5, wherein the presence or absence of the target entry's COS specifier determines whether the target entry may receive a COS value.
11. (Original) The method as in claim 5, wherein an attribute value stored in a COS Template determines what value a target entry may receive as a COS value.
12. (Original) The method as in claim 5, further comprising the step of:  
changing an attribute value in the Template entry.
13. (Original) The method as in claim 12, further comprising the step of:  
automatically applying the changed attribute value to all entries that share the attribute.
14. (Original) The method as in claim 13, wherein the changed attribute values are applied to an entry that shares the attribute at the time the entry is transmitted to an application.
15. (Original) The method as in claim 13, wherein the changed attribute values are applied to an entry that shares the attribute immediately prior to the time the entry is transmitted to the application.
16. (Currently Amended) A[[n]] computer network apparatus comprising:
  - a directory server comprising:
    - a first component configured to store a plurality of target entries;
    - a second component configured to facilitate sharing attributes of a first entry with other entries in a directory system; and
    - a third component configured to generate a value for at least one attribute of the first entry, wherein the at least one attribute may be shared with other entries in a manner that is transparent to an application,
  - wherein the third component comprises:

a fourth component configured to generate the at least one attribute at the time the entry is transmitted to the application,

a fifth component configured to generate the value of the at least one attribute immediately prior to the time the entry is transmitted to the application, and

a sixth component configured to generate the value based on a class of service logic, wherein the value provides information associated with a user of the application.

17. (Currently Cancelled).

18. (Currently Cancelled).

19. (Currently Cancelled).

20. (Currently Amended) A[[n]] computer network apparatus comprising:

a directory server comprising:

a first component configured to store a plurality of target entries; and

a second component configured to define a class of service (CoS) attribute for a target entry, the CoS attribute including a CoS Definition entry and a Template entry, whereby the CoS Definition entry and the Template entry interact to provide an attribute value to a target entry that lies within a CoS scope of the CoS Definition entry and the Template entry.

wherein the CoS Definition entry is stored as an LDAP subentry below the branch at which the LDAP subentry is effective,

wherein the CoS Definition entry identifies a CoS type being used,

wherein the Template entry contains a list of attribute values that are shared, and

wherein the CoS scope is defined by the DN of the CoS Definition entry.

21. (Currently Cancelled).

22. (Currently Cancelled).

23. (Currently Cancelled).

24. (Currently Cancelled).

25. (Original) The apparatus as in claim 20, wherein the presence or absence of the target entry's COS specifier determines whether the target entry may receive a COS value.

26. (Original) The apparatus as in claim 20, wherein an attribute value stored in a COS template determines what value entry may receive as a COS value.

27. (Original) The apparatus as in claim 20, further comprising:

a component to change an attribute value in the template entry.

28. (Original) The apparatus as in claim 27, further comprising:

a component to automatically apply the changed attribute value to all entries that share the attribute.

29. (Original) The apparatus as in claim 27, wherein the changed attribute values are applied to an entry that shares the attribute at the time the entry is transmitted to an application.

30. (Original) The apparatus as in claim 27, wherein the changed attribute values are applied to an entry that shares the attribute immediately prior to the time the entry is transmitted to an application.